



VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

GBED REPORT

JEFFREY NEIDHART 4144 CRISTO REY ST FARMINGTON, NM 87401	Case: NQ46130 Date Received: 19-Nov-2018 Print Date: 21-Nov-2018 Report ID: 3439-0216-3704-2019 <small>Verify report at www.vgl.ucdavis.edu/myvgl/verify.htm</small>
Horse: RUBY DUECE <i>DOB:</i> 04/20/1998 <i>Sex:</i> Mare <i>Breed:</i> Quarter Horse	Reg: 3697120
<i>Sire:</i> SMART LITTLE JERRY <i>Dam:</i> RUBY BAGONIA	<i>Reg:</i> 3154928 <i>Reg:</i> 3257345

GBED Test Result

N/N

Result Codes:

- G/G Affected - Homozygous for GBED (two copies of the GBED gene).
- N/G Carrier - Heterozygous (one normal and one GBED gene).
- N/N Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.



VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

HERDA TEST RESULT

JEFFREY NEIDHART 4144 CRISTO REY ST FARMINGTON, NM 87401	Case: NQ46130 Date Received: 19-Nov-2018 Print Date: 21-Nov-2018 Report ID: 4819-9576-1323-0144 <small>Verify report at www.vgl.ucdavis.edu/myvgl/verify.htm</small>
Name: RUBY DUECE DOB: 04/20/1998 Sex: Mare Breed: Quarter Horse	Reg: 3697120
Sire: SMART LITTLE JERRY Dam: RUBY BAGONIA	Reg: 3154928 Reg: 3257345

HERDA Test Result

N/N

Result Codes:

N/N	Normal - horse does not have the HERDA gene
N/HRD	Carrier - horse carries one copy of the HERDA gene
HRD/HRD	Affected - horse has two copies of the HERDA gene

Hereditary equine regional dermal asthenia (**HERDA**) is a degenerative skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Affected foals rarely show symptoms at birth. The condition typically occurs by the age of two, most notably when the horse is first being broke to saddle. HERDA is an autosomal recessive trait which means that breedings between carrier (N/HRD) horses have a 25% chance of producing an affected foal (HRD/HRD). Breedings between carrier and normal (N/N) horses produce normal foals, but 50% of these are expected to be carriers.

This test is specific for the mutation in the *cyclophilin B* gene (PPIB) that has been shown to be associated with HERDA. For more information go to <http://vgl.ucdavis.edu>.



VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

HYPP REPORT

JEFFREY NEIDHART 4144 CRISTO REY ST FARMINGTON, NM 87401	Case: NQ46130 Date Received: 19-Nov-2018 Print Date: 21-Nov-2018 Report ID: 4676-5731-5561-4164 Verify report at www.vgl.ucdavis.edu/myvgl/verify.htm
Horse: RUBY DUECE <i>DOB:</i> 04/20/1998 <i>Sex:</i> Mare <i>Breed:</i> Quarter Horse	Reg: 3697120
<i>Sire:</i> SMART LITTLE JERRY <i>Dam:</i> RUBY BAGONIA	Reg: 3154928 Reg: 3257345

HYPP Test Result

N/N

Result Codes:

- H/H Hyperkalemic - Homozygous for HYPP (two copies of the HYPP gene).
N/H Hyperkalemic - Heterozygous (one normal and one HYPP gene).
N/N Normal - Does not possess the disease-causing HYPP gene.

The disease is inherited as an autosomal dominant trait, which means that a heterozygote (N/H) bred to a normal (N/N) will result in approximately half of the offspring being affected and half being normal. The homozygote (H/H) is usually severely affected with the disease.

The test indicates the presence or absence of a base pair substitution in the skeletal muscle sodium channel gene. The abnormal gene codes for a defective sodium channel protein that causes the disease Hyperkalemic Periodic Paralysis (HYPP).